## PUBLIC FIREWORKS DISPLAY CHECKLIST

Name of Fire Department Providing Coverage:	
Resp	onsible Person:
Nam	e of Contact On-Site:
Nam	e and Number of Fireworks Contractor:
PLA	NNING
	Ensure that the fireworks contractor has the appropriate federal and municipal
	permits.  Responsibility for clean-up clearly defined in contract with professional fireworks company, and is the responsibility of the professional fireworks company.
PER	MITS
	Any public fireworks display must first obtain a permit from the chief of the local fire department, or in the absence of a local fire department, from the municipal select board, at least fifteen days in advance of the date of the display. Please refer to 20 V.S.A. § 3132 for more details.
<u>DISI</u>	PLAY AREA (see NFPA 1123)
	Display area adequate for size of aerial shell.
	70 foot radius for every inch of internal mortar diameter. No spectators, dwellings or parking areas within that display area.
DIS	CHARGE AREA (see NFPA 1123)
	Distance from discharge area to spectators is adequate.
	Security to discharge area is adequate.
닏	At least 25-foot clearance to any overhead objects for shell trajectory.
Ш	At least 75-foot clearance between spectator viewing areas or parking areas and ground display pieces.
	Storage of shells at discharge site is adequate.
FAL	L-OUT AREA (see NFPA 1123)
	No spectators, vehicles or combustible materials located within fall-out areas.
T-7 / T	
	ERGENCY SERVICES  Adequate fire protection, fire apparatus and emergency medical service.
H	Adequate monitors to enforce crowd control and observe falling debris.
	Adequate communication capabilities between monitors and fire apparatus.
CLE	CAN-UP
	Display area not open to public until daylight clean up completed.
	Have procedures in place for handling unexploded shells.